

EAST

MD

MD

MD

14 pages

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1196	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 11:29
S2	49	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (network near2 usage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 11:29
S3	360	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/17 12:56
S4	27	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((confidentiality or privacy) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 12:00
S5	14	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((alias or anonymize\$1) near3 (user or ID or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 12:17
S6	1	"5961593".pn.	USPAT	OR	ON	2004/02/17 13:58
S7	1	"6591291".pn.	USPAT	OR	ON	2004/02/17 13:59
S8	68	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (demographic near3 (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:23

S9	40	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (demographic near3 (information or data))) not (((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (network near2 usage)) or (((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((confidentiality or privacy) near3 user)) or (((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((alias or anonymize\$1) near3 (user or ID or identifier))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 12:29
S10	4	("5999971" "6275934" "6286098" "6289318").PN.	USPAT	OR	ON	2004/09/30 12:35

S11	56	("5109486" "5230048" "5465206" "5557746" "5668955" "5757798" "5761502" "5778350" "5781729" "5784443" "5793853" "5794221" "5799321" "5802502" "5815556" "5852812" "5878420" "5920847" "5926104" "5949782" "5956391" "5956690" "5958009" "5958010" "5978780" "5991746" "5999604" "6002948" "6009154" "6014691" "6032147" "6038551" "6047051" "6047268" "6058380" "6069941" "6078907" "6088706" "6112236" "6118936" "6119160" "6151601" "6157648" "6175867" "6199195" "6230203" "6243667" "6272126" "6282267" "6308148" "6327049" "6359976" "6377567" "6381306" "6385301" "6418467").PN.	USPAT	OR	ON	2004/09/30 12:35
S12	2	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (((data or information) near2 collect\$3) with (user near3 (confidential\$3 or priva\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 12:36
S13	64	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and ((data or information) near2 collect\$3) and (user near3 (confidential\$3 or priva\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 12:38
S14	160	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (user near3 (confidential\$3 or priva\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/17 18:04
S15	41	((network near2 usage) with ((data or information) near3 collect\$3)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/01 16:39

S16	84	collect\$4 and aggregat\$3 and data and (network near2 usage) and profile and user and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/18 10:36
S17	2467	((network or internet) near3 (traffic or usage or data)) with collect\$3) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/18 10:42
S18	9	((((network or internet) near3 (traffic or usage or data)) with collect\$3) and @ad<"20000630") and (((user or customer or behavior) near2 (profile or record or history)) with (privacy or confidential\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/18 12:08
S19	4026	713/200;709/223-224;705/10.ccls. and @ad<"20000630"	US-PGPUB; USPAT	OR	ON	2004/02/18 14:40
S20	219	(713/200;709/223-224;705/10.ccls. and @ad<"20000630") and (((internet or network) near3 (usage or traffic or data)) with collect\$3)	US-PGPUB; USPAT	OR	ON	2004/02/18 12:12
S21	35	((713/200;709/223-224;705/10.ccls. and @ad<"20000630") and (((internet or network) near3 (usage or traffic or data)) with collect\$3)) and ((user or customer or behavior) near2 (profile or record or history))	US-PGPUB; USPAT	OR	ON	2004/09/30 12:45
S22	1	("5315580").PN.	USPAT; USOCR	OR	OFF	2004/02/18 13:00
S23	1	("5317564").PN.	USPAT; USOCR	OR	OFF	2004/02/18 14:10
S24	0	(network adj usage) and (online adj privacy) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/18 14:11
S25	0	(network adj traffic) and (online adj privacy) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/18 14:11
S26	9	(online adj privacy) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/18 14:11

S27	681	705/14,74.ccls. and @ad<"20000630"	US-PGPUB; USPAT	OR	ON	2004/02/18 14:41
S28	51	(705/14,74.ccls. and @ad<"20000630") and ((user or client or customer) near3 (privacy or confidentiality))	US-PGPUB; USPAT	OR	ON	2004/09/30 12:49
S29	21	(705/14,74.ccls. and @ad<"20000630") and (anonym\$3 near2 (user or customer or client))	US-PGPUB; USPAT	OR	ON	2004/09/30 12:49
S30	56	("5109486" "5230048" "5465206" "5557746" "5668955" "5757798" "5761502" "5778350" "5781729" "5784443" "5793853" "5794221" "5799321" "5802502" "5815556" "5852812" "5878420" "5920847" "5926104" "5949782" "5956391" "5956690" "5958009" "5958010" "5978780" "5991746" "5999604" "6002948" "6009154" "6014691" "6032147" "6038551" "6047051" "6047268" "6058380" "6069941" "6078907" "6088706" "6112236" "6118936" "6119160" "6151601" "6157648" "6175867" "6199195" "6230203" "6243667" "6272126" "6282267" "6308148" "6327049" "6359976" "6377567" "6381306" "6385301" "6418467").PN.	USPAT	OR	ON	2004/09/30 12:50
S31	10	(network adj usage) and (user near3 (privacy or confidentiality)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 12:50
S32	87	(network adj (usage or manag\$5)) and (user near3 (privacy or confidentiality)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/18 15:55

S33	75	((network adj (usage or manag\$5)) and (user near3 (privacy or confidentiality)) and @ad<"20000630") not ((network adj usage) and (user near3 (privacy or confidentiality)) and @ad<"20000630")	US-PGPUB; USPAT	OR	ON	2004/02/18 15:56
S34	93	(hash\$3 near3 (id or identifier or IP)) with (database or record) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 15:59
S35	264	((mobile adj subscriber adj Isdn) or msisdn) and @ad<"20000630"	US-PGPUB; USPAT	OR	ON	2004/02/26 18:35
S36	8	((mobile adj subscriber adj Isdn) or msisdn) near2 unique)and @ad<"20000630"	US-PGPUB; USPAT	OR	ON	2004/02/26 18:36
S37	1	("6683954").PN.	USPAT; USOCR	OR	OFF	2004/02/26 19:12
S38	1	((area adj code) near5 (exchange)) with classification) and @ad<"20000630"	US-PGPUB; USPAT	OR	ON	2004/02/27 11:20
S39	4	((area adj code) with (exchange)) same classification) and @ad<"20000630"	US-PGPUB; USPAT	OR	ON	2004/02/27 11:20
S40	1291	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 11:29
S41	62	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (network near2 usage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:06
S42	18	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (network near2 usage)) and anonym\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 11:57
S43	29	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((confidentiality or privacy) near3 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 12:01

S44	17	(((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((alias or anonymize\$1) near3 (user or ID or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 12:18
S45	52	((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (demographic near3 (information or data))) not (((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and (network near2 usage)) or (((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((confidentiality or privacy) near3 user)) or (((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (creat\$3 near4 (profile or record or history))) and ((alias or anonymize\$1) near3 (user or ID or identifier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:23
S46	4	("5999971" "6275934" "6286098" "6289318").PN.	USPAT	OR	ON	2004/09/30 12:35

S47	56	("5109486" "5230048" "5465206" "5557746" "5668955" "5757798" "5761502" "5778350" "5781729" "5784443" "5793853" "5794221" "5799321" "5802502" "5815556" "5852812" "5878420" "5920847" "5926104" "5949782" "5956391" "5956690" "5958009" "5958010" "5978780" "5991746" "5999604" "6002948" "6009154" "6014691" "6032147" "6038551" "6047051" "6047268" "6058380" "6069941" "6078907" "6088706" "6112236" "6118936" "6119160" "6151601" "6157648" "6175867" "6199195" "6230203" "6243667" "6272126" "6282267" "6308148" "6327049" "6359976" "6377567" "6381306" "6385301" "6418467").PN.	USPAT	OR	ON	2004/09/30 12:36
S48	2	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and (((data or information) near2 collect\$3) with (user near3 (confidential\$3 or priva\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 15:25
S49	69	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and @ad<"20000630") and ((data or information) near2 collect\$3) and (user near3 (confidential\$3 or priva\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 17:15
S50	45	((network near2 usage) with ((data or information) near3 collect\$3)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 17:28
S51	43	((713/200;709/223-224;705/10. ccls. and @ad<"20000630") and (((internet or network) near3 (usage or traffic or data)) with collect\$3)) and ((user or customer or behavior) near2 (profile or record or history))	US-PGPUB; USPAT	OR	ON	2005/05/18 17:44

S52	52	(705/14,74.ccls. and @ad<"20000630") and ((user or client or customer) near3 (privacy or confidentiality))	US-PGPUB; USPAT	OR	ON	2005/05/18 18:12
S53	21	(705/14,74.ccls. and @ad<"20000630") and (anonym\$3 near2 (user or customer or client))	US-PGPUB; USPAT	OR	ON	2004/09/30 12:49
S54	56	("5109486" "5230048" "5465206" "5557746" "5668955" "5757798" "5761502" "5778350" "5781729" "5784443" "5793853" "5794221" "5799321" "5802502" "5815556" "5852812" "5878420" "5920847" "5926104" "5949782" "5956391" "5956690" "5958009" "5958010" "5978780" "5991746" "5999604" "6002948" "6009154" "6014691" "6032147" "6038551" "6047051" "6047268" "6058380" "6069941" "6078907" "6088706" "6112236" "6118936" "6119160" "6151601" "6157648" "6175867" "6199195" "6230203" "6243667" "6272126" "6282267" "6308148" "6327049" "6359976" "6377567" "6381306" "6385301" "6418467").PN.	USPAT	OR	ON	2004/09/30 12:50
S55	10	(network adj usage) and (user near3 (privacy or confidentiality)) and @ad<"20000630"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 18:25
S56	35	(target\$3 near2 advertis\$5) with (zip or "area code" or state)	USPAT	OR	ON	2005/05/18 18:33
S89	92	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and (@ad<"20000630" or @rlad<"20000630"))) and (creat\$3 near4 (profile or record or history))) and (network near2 usage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 11:33

S90	19	("4837798" "5309355" "5347632" "5404393" "5404505" "5422809" "5442771" "5459859" "5491820" "5530852" "5555407" "5572643" "5594910" "5623652" "5649186" "5675780" "5710886" "5740549" "5742762").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/17 16:42
S91	37	("5901287").URPN.	USPAT	OR	ON	2005/05/17 18:22
S92	6	muret.in.	US-PGPUB; USPAT	OR	ON	2005/05/17 18:22
S93	92	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and (@ad<"20000630" or @rlad<"20000630")) and (creat\$3 near4 (profile or record or history))) and (network near2 usage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 11:33
S94	29	S93 and (anonym\$3 or pseudonym or alias\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 14:31
S95	8	S94 not anonymous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:19
S96	50	S93 and ((confidential\$3 or priva\$2 or sensitive) near5 (data or information or user or personal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:22
S97	3	S93 and ((anonymized or pseudonym or alias\$2) near3 (user or ID or identif\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:12
S99	6	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and (@ad<"20000630" or @rlad<"20000630")) and (((data or information) near2 collect\$3) with (user near3 (confidential\$3 or priva\$2))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:19

S10 2	122	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and (@ad<"20000630" or @rlad<"20000630")) and ((data or information) near2 collect\$3) and (user near3 (confidential\$3 or priva\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 17:18
S10 3	10	S102 and ((anonymized or pseudonym or alias\$2) near3 (user or ID or identif\$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:28
S10 5	70	((network near2 usage) with ((data or information) near3 collect\$3)) and (@ad<"20000630" or @rlad<"20000630"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 17:29
S10 6	2	S105 and ((anonymized or pseudonym or alias\$2) near3 (user or ID or identif\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 17:30
S10 7	69	((713/200;709/223-224;705/10.ccls. and (@ad<"20000630" or @rlad<"20000630")) and (((internet or network) near3 (usage or traffic or data)) with collect\$3)) and ((user or customer or behavior) near2 (profile or record or history))	US-PGPUB; USPAT	OR	ON	2005/12/02 13:46
S10 8	56	(705/14,74.ccls. and @ad<"20000630") and ((user or client or customer) near3 (privacy or confidentiality))	US-PGPUB; USPAT	OR	ON	2005/05/18 18:12
S10 9	124	(705/14,74.ccls. and (@ad<"20000630" or @rlad<"20000630")) and ((user or client or customer) near3 (privacy or confidentiality or sensitive))	US-PGPUB; USPAT	OR	ON	2005/05/18 18:13
S11 0	13	S109 and ((anonymized or pseudonym or alias\$2) near3 (user or ID or identif\$7))	US-PGPUB; USPAT	OR	ON	2005/12/02 14:00
S11 1	17	(network adj usage) and (user near3 (privacy or confidentiality)) and (@ad<"20000630" or @rlad<"20000630"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:19
S11 2	55	(target\$3 near2 advertis\$5) with (zip or "area code" or state)	USPAT	OR	ON	2005/05/18 18:33

S11 3	22	S112 and @ad<"20000630"	USPAT	OR	ON	2005/05/18 18:50
S11 4	68	((anonymized or pseudonym or alias\$2) near3 (user or ID or identif\$7 or name)) same (isp or ((internet or network) near2 provider))	US-PGPUB; USPAT	OR	ON	2005/05/18 18:53
S11 5	31	S114 and ((collect\$3 near5 (usage or behavior or pattern or transaction or data or information)) same database)	US-PGPUB; USPAT	OR	ON	2005/05/18 19:45
S11 6	11	S115 and (@ad<"20000630" or @rlad<"20000630")	US-PGPUB; USPAT	OR	ON	2005/12/02 14:21
S11 7	66	(isp or ((internet or network) near2 provider)) with ((collect\$3 near5 (usage or behavior or pattern or transaction or data or information)) same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 19:45
S11 8	42	S117 and (@ad<"20000630" or @rlad<"20000630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:27
S12 5	33	database with ((fault or disaster) near3 (toleran\$2 or recover\$3)) with ((remote or off\$1site or off adj site) near3 (location or site or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/22 14:05
S12 6	24	S125 and (@ad<"20000630" or @rlad<"20000630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:41
S12 7	97	(((((network or online or internet) near3 (behavior or user) with (profile or history or record)) and (@ad<"20000630" or @rlad<"20000630")) and (creat\$3 near4 (profile or record or history)))) and (network near2 usage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:19
S12 8	32	S127 and (anonym\$3 or pseudonym or alias\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:19

S12 9	9	S128 not anonymous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:20
S13 0	55	S127 and ((confidential\$3 or priva\$2 or sensitive) near5 (data or information or user or personal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:22
S13 1	3	S127 and ((anonymized or pseudonym or alias\$2) near3 (user or ID or identif\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:12
S13 2	6	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and (@ad<"20000630" or @riad<"20000630")) and (((data or information) near2 collect\$3) with (user near3 (confidential\$3 or priva\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:19
S13 3	138	((network or online or internet) near3 (behavior or user) with (profile or history or record)) and (@ad<"20000630" or @riad<"20000630")) and ((data or information) near2 collect\$3) and (user near3 (confidential\$3 or priva\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:28
S13 4	11	S133 and ((anonymized or pseudonym or alias\$2) near3 (user or ID or identif\$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:29
S13 5	70	((726/6-7;709/223-224;705/10. ccls. and (@ad<"20000630" or @riad<"20000630")) and (((internet or network) near3 (usage or traffic or data)) with collect\$3)) and ((user or customer or behavior) near2 (profile or record or history))	US-PGPUB; USPAT	OR	ON	2005/12/02 13:47
S13 6	131	(705/14;74.ccls. and (@ad<"20000630" or @riad<"20000630")) and ((user or client or customer) near3 (privacy or confidentiality or sensitive))	US-PGPUB; USPAT	OR	ON	2005/12/02 14:00

S13 7	14	S136 and ((anonymized or pseudonym or alias\$2) near3 (user or ID or identif\$7))	US-PGPUB; USPAT	OR	ON	2005/12/02 14:00
S13 8	17	(network adj usage) and (user near3 (privacy or confidentiality)) and (@ad<"20000630" or @rlad<"20000630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:19
S13 9	74	((anonymized or pseudonym or alias\$2) near3 (user or ID or identif\$7 or name)) same (isp or ((internet or network) near2 provider))	US-PGPUB; USPAT	OR	ON	2005/12/02 14:21
S14 0	33	S139 and ((collect\$3 near5 (usage or behavior or pattern or transaction or data or information)) same database)	US-PGPUB; USPAT	OR	ON	2005/12/02 14:21
S14 1	12	S140 and (@ad<"20000630" or @rlad<"20000630")	US-PGPUB; USPAT	OR	ON	2005/12/02 14:21
S14 2	85	(isp or ((internet or network) near2 provider)) with ((collect\$3 near5 (usage or behavior or pattern or transaction or data or information)) same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:27
S14 3	54	S142 and (@ad<"20000630" or @rlad<"20000630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:28
S14 4	39	database with ((fault or disaster) near3 (toleran\$2 or recover\$3)) with ((remote or off\$1site or off adj site) near3 (location or site or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:41
S14 5	24	S144 and (@ad<"20000630" or @rlad<"20000630")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:41